



UNC CFAR Social and Behavioral Science Research Core  
SABI Database

**INSTRUMENT TITLE:** ACTG: AIDS Clinical Trials Group Adherence Questionnaire

**SOURCE ARTICLE:** Badiee, J., Riggs, P. K., Rooney, A. S., Vaida, F., Grant, I., Atkinson, J. H., & Moore, and the HIV Neurobehavioral Research Program (HNRP) Group, D. J. (2012). Approaches to identifying appropriate medication adherence assessments for HIV infected individuals with comorbid bipolar disorder. *AIDS patient care and STDs*, 26(7), 388-394.

**POPULATION:** Women, men, HIV-positive, Bipolar patients

**RESPONSE OPTIONS:** Not reported

**SCORING:** Adherent:  $\geq 95\%$ ; Nonadherent:  $<95\%$ ; Adherence percentage =  $1 - (\text{number of missed dosage units} / \text{number of dosage units prescribed}) \times 100$

**SURVEY ITEMS:** Not reported

**RELIABILITY INFORMATION:** No reliability information reported.

**VALIDITY INFORMATION:** Criterion-related validity assessed via comparison with Medication Event Monitoring System (MEMS).

**TERMS OF USE:**

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Badiee, J., Riggs, P. K., Rooney, A. S., Vaida, F., Grant, I., Atkinson, J. H., & Moore, and the HIV Neurobehavioral Research Program (HNRP) Group, D. J. (2012). Approaches to identifying appropriate medication adherence assessments for HIV infected individuals with comorbid bipolar disorder. *AIDS patient care and STDs*, 26(7), 388-394.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.