



UNC CFAR Social and Behavioral Science Research Core
SABI Database

INSTRUMENT TITLE: ACTG Adherence: AIDS Clinical Trials Group Adherence Questionnaire.

SOURCE ARTICLE: Chkhartishvili, N., Rukhadze, N., Svanidze, M., Sharvadze, L., Dehovitz, J. A., Tsertsvadze, T., ... & del Rio, C. (2014). Evaluation of multiple measures of antiretroviral adherence in the Eastern European country of Georgia. *Journal of the International AIDS Society*, 17(1), 18885.

POPULATION: Women, men, HIV-positive, patients, people who inject drugs (PWID)

RESPONSE OPTIONS: Number of doses missed.

SCORING: Adherence calculated as $1 - (\text{number of doses missed for the day} / \text{number of doses prescribed})$, expressed as percentage.

SURVEY ITEMS: The questionnaire queried the patient on the number of doses missed of an ARV drug over each of the four days prior to the study visit.

RELIABILITY INFORMATION: No reliability information reported.

VALIDITY INFORMATION: Criterion-related validity assessed via comparison with viral load.

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Chkhartishvili, N., Rukhadze, N., Svanidze, M., Sharvadze, L., Dehovitz, J. A., Tsertsvadze, T., ... & del Rio, C. (2014). Evaluation of multiple measures of antiretroviral adherence in the Eastern European country of Georgia. *Journal of the International AIDS Society*, 17(1), 18885.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.