



UNC CFAR Social and Behavioral Science Research Core  
SABI Database

**INSTRUMENT TITLE:** Frequency Measure

**SOURCE ARTICLE:** Berg, K. M., Wilson, I. B., Li, X., & Arnsten, J. H. (2012). Comparison of antiretroviral adherence questions. *AIDS and Behavior*, 16(2), 461-468.

**POPULATION:** Women, men, HIV-positive, African American, Latino, Attend methadone clinic

**RESPONSE OPTIONS:** None of the time, a little of the time, a good bit of the time, most of the time, all of the time

**SCORING:** Highest response option considered 100% adherence

**SURVEY ITEMS:** “Thinking about the past 4 weeks, how often did you take all your HIV antiretroviral medications as your doctor prescribed them?”

**RELIABILITY INFORMATION:** No reliability information reported.

**VALIDITY INFORMATION:** Convergent validity was assessed via comparison to rating measure, percent measure, VAS, and CPCRA. Criterion-related validity was assessed via comparison to viral load.

**TERMS OF USE:**

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

DiClemente, R. J., Zorn, J., & Temoshok, L. (1986). Adolescents and AIDS: A survey of knowledge, attitudes and beliefs about AIDS in San Francisco. *American Journal of Public Health*, 76(12), 1443.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.