



UNC CFAR Social and Behavioral Science Research Core
SABI Database

INSTRUMENT TITLE: *The Hypomania Checklist (HCL-32)*

SOURCE ARTICLE: Angst, J., Adolfsson, R., Benazzi, F., Gamma, A., Hantouche, E., Meyer, T. D., et al. (2005). The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. *Journal of Affective Disorders*, 88(2), 217-233.

RESPONSE OPTIONS: YES or NO

SURVEY ITEMS:

Please try to remember a period when you were in a “high” state. How did you feel then?
Please answer all these statements independently of your present condition.

1. I need less sleep
2. I feel more energetic and more active
3. I am more self-confident
4. I enjoy my work more
5. I am more sociable (make more phone calls, go out more)
6. I want to travel and/or do travel more
7. I tend to drive faster or take more risks when driving
8. I spend more money/too much money
9. I take more risks in my daily life (in my work and/or other activities)
10. I am physically more active (sport etc.)
11. I plan more activities or projects

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Angst, J., Adolfsson, R., Benazzi, F., Gamma, A., Hantouche, E., Meyer, T. D., et al. (2005). The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. Journal of Affective Disorders, 88(2), 217-233.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.



UNC CFAR Social and Behavioral Science Research Core
SABI Database

12. I have more ideas, I am more creative
13. I am less shy or inhibited
14. I wear more colorful and more extravagant clothes/make-up
15. I want to meet or actually do meet more people
16. I am more interested in sex, and/or have increased sexual desire
17. I am more flirtatious and/or am more sexually active
18. I talk more
19. I think faster
20. I make more jokes or puns when I am talking
21. I am more easily distracted
22. I engage in lots of new things
23. My thoughts jump from topic to topic
24. I do things more quickly and/or more easily
25. I am more impatient and/or get irritable more easily
26. I can be exhausting or irritating for others
27. I get into more quarrels
28. My mood is higher, more optimistic
29. I drink more coffee
30. I smoke more cigarettes

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Angst, J., Adolfsson, R., Benazzi, F., Gamma, A., Hantouche, E., Meyer, T. D., et al. (2005). The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. Journal of Affective Disorders, 88(2), 217-233.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.



UNC CFAR Social and Behavioral Science Research Core
SABI Database

31. I drink more alcohol

32. I take more drugs (sedatives, anxiolytics, stimulants...)

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Angst, J., Adolfsson, R., Benazzi, F., Gamma, A., Hantouche, E., Meyer, T. D., et al. (2005). The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. Journal of Affective Disorders, 88(2), 217-233.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.