



UNC CFAR Social and Behavioral Science Research Core
SABI Database

INSTRUMENT TITLE: Self-Reported Adherence Questionnaire

SOURCE ARTICLE: Kerr, T., Hogg, R. S., Yip, B., Tyndall, M. W., Montaner, J., & Wood, E. (2008). Validity of self-reported adherence among injection drug users. *Journal of the International Association of Physicians in AIDS Care*, 7(4), 157-159.

POPULATION: Women, men, people who inject drug (PWID), HIV-positive

RESPONSE OPTIONS: Possible responses included: “always (100%),” “usually (more than 75%),” “sometimes (26- 74%),” “occasionally (less than 25%),” and “never.”

SCORING: A 75% adherence cutoff was used in these analyses

SURVEY ITEMS: In the last 6 months, how often did you take your medications as prescribed?

RELIABILITY INFORMATION: No reliability information was reported.

VALIDITY INFORMATION: Criterion-related validity was assessed via comparison with pharmacy refill rates.

TERMS OF USE:

Individuals may use this information for research or educational purposes only and may not use this information for commercial purposes. When using this instrument, please cite:

Kerr, T., Hogg, R. S., Yip, B., Tyndall, M. W., Montaner, J., & Wood, E. (2008). Validity of self-reported adherence among injection drug users. *Journal of the International Association of Physicians in AIDS Care*, 7(4), 157-159.

When presenting results using any survey information you obtained from the SABI, please acknowledge the University of North Carolina at Chapel Hill Center for AIDS Research (CFAR), an NIH funded program P30 AI50410.